



Corporate Office: 99 Parker vine, CA 92618-1605
Tel: (949) 206-6100
FAX: (949) 206-6110

July 12, 2000



Box PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

Re: Case 137

sir:

Enclosed for filing are:

- 1. Original application of Peter M. Coombs for Moving Shelf Set Finishing Mailbox.
  - a. 1 abstract page
  - b. 9 pages of specification
  - c. 4 pages of claims
  - d. 3 pages of formal drawings

The filing fee is calculated as follows:

Total number of claims  $12 - 20 = 0 \times \$9.00 = \$0.00$ Independent claims  $1 - 3 = 0 \times \$39.00 = \$0.00$ Basic Filing Fee \$345.00

- Combined Declaration and Power of Attorney
- 3. Assignment Document with Cover Sheet
- 4. Small Entity Status Form

Please charge the filing fee cost in the amount of \$345.00 to deposit account #07-1820.

A duplicate copy of this letter is enclosed for accounting purposes.

Respectfully,

Newton H. Lee, Ur. Reg. No. 18,562

Attorney's Docket NoP	ATENT
Applicant or Patentee: Peter M. Coombs	~ · · · · ·
Application or Patent No.: /	-
Filed or Issued:	
For: Moving Shelf Set Finishing Mailbox	
VERIFIED STATEMENT (DECLARATION) BY A NON-INVENSUPPORTING A CLAIM BY ANOTHER FOR SMALL ENTITY Solven by declare that I am making this verified statement to support a claim of the second statement of	STATUS
Gradco (Japan) Ltd.	
for small entity status, for purposes of paying reduced fees under Sections of Title 35, United States Code, with regard to the invention entitled	
Moving Shelf Set Finishing Mailbox , b	
Peter M. Coombs	y inventor(s)
the specification filed herewith.	described in
application no. /, filed,	
patent no, issued	
I hereby declare that I would qualify as an independent inventor, as define	d in 37 CFR
1.9(c), for purposes of paying fees under Sections 41(a) and (b) of Title 35, U Code, if I had made the above identified invention.	nited States
I have not assigned, granted, conveyed or licensed, and am under no oblig contract or law to assign, grant, convey or license, any rights in the invention to who could not be classified as an independent inventor under 37 CFR 1.9(c), if had made the invention, or to any concern that would not qualify as a smaconcern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e)	any person that person all business
Each person, concern or organization to which I have assigned, granted, colicensed or am under an obligation under contract or law to assign, grant, converged any rights in the invention is listed below:	onveyed, or y, or license
no such person, concern, or organization	
x persons, concerns or organizations listed below*	
*NOTE: Separate verified statements are required from each named person, concern or organ rights to the invention averring to their status as small entities. (37 CFR 1.27)	nızatıon having

	11		(Japan) 2-chome,					
ADDRES	oo		-ku, Tok			n		
	INDIVIDUAL		MALL BUSINES				FIT OR	GANIZATION
FULL N	AME					, <u>,</u>		
ADDRES	ss						<del></del>	
	INDIVIDUAL	☐ SM	MALL BUSINES	S CONCER	N 🗆	NONPRO	FIT OR	GANIZATION
FULL N	IAME							
ADDRES	SS							
	INDIVIDUAL	□ SN	MALL BUSINES	S CONCER	N 🗆	NONPRO	FIT OR	GANIZATION
status a I here	ng, the earliest as a small enti by declare that ements made o	ty is no it all state n informa	longer appro ements mad ation and bel	opriate. (3 e herein c lief are bel	7 CFR 1.2 f my own lieved to b	28(b)) knowledç e true; ar	ge are	true and that ner that these
stateme are puni States	ents were made ishable by fine Code, and the tion, any pater	e with the or imprise at such	knowledge conment, or t willful false	that willfu both, unde statemen	l false stat er Section ts may je	ements a 1001 of T opardize	na tne itle 18 the v	of the United alidity of the
Name o	of Person Sign	ina	Newton H	. Lee,	Jr.	Reg.	No.	18,562
	s of Person Si		39 Park	er				
			Irvine,	CA 92	618			
Address	S OF PERSON SI		Irvine,	CA 92				

# **United States Application**

of

Peter M. Coombs

For

Moving Shelf Set Finishing Mailbox

#### Abstract

A moving shelf set finishing mailbox has a plurality of trays vertically movable by rotatable cams to opposite sides of a sheet inlet location from which sheets are supplied serially from a copier or printer, the sheets being supported at their trailing edge on a shelf integral with the tray and their forward ends being supported by the tray and by any underlying sheets. The trays are sequentially or randomly moved by the rotary cams and when randomly moved, the apparatus functions as a mailbox in which the sheets are stapled while the trailing edges are supported on the shelf and the sets are moved by pushers from the shelf by pushers so that the trailing end of the sets are finally supported by the tray.

### Background of the Invention

In the office environment, it is often desirable to provide a machine which can function to sort the output from a copier or printer into trays to which the sheets may be serially fed for collation or randomly fed for mailboxing, or in the case of digital copying or printing, for receiving the sets in collated fashion.

Typically, sorting mailbox machines may be provided with fixed receiving trays to which the sheets are supplied either serially or randomly for mailboxing purposes, as for example, shown in my prior patent 5,938,194 granted August 17, 1999 and other prior art patents, which, in a generic sense, function to receive sheets of paper fed from the printer or copier to a moving inlet feed path which is vertically displacable or to a feed path which includes gates for deflecting sheets from the feed mechanism into the trays.

on the other hand, as represented by Lawrence patent, 4,843,434 granted June 27, 1989, the sheets may be fed to trays which are opened by a moving bin opener which may be vertically positioned to open a selected tray and the infeed moves with the bin opener.

Various other examples of sheet receiving, sorting or mailboxing machines are known for selectively receiving the output from the sheet printing or copying apparatus. Canon patent 5,385,340 granted January 31, 1995 and Lawrence patent 5,649,695 granted July 22, 1997 disclose examples of paper receiving or stacking devices which assemble and finish a stapled set of sheets

by means which in a preliminary stage, assembles the trailing ends of the sheets on a shelf while the leading ends of the sheet are otherwise supported.

In the Canon structure, the set of sheets is supported at its trailing end on a fixed shelf from which the assembled set is pushed to a receiver.

In the Lawrence structure, the assembled set of sheets is gripped and moved to a finishing station after accumulation of the trailing ends of the sets on a movable shelf.

My pending application, serial number 078,202, filed May 14, 1998 is co-owned herewith and discloses a stacker with which are associated a binding station and a stapling station. In that application there is also disclosed a shelf which receives the trailing ends of sheets being accumulated for processing at either of the binding or stapling stations, wherein the shelf is allowed to pivot downwardly to drop the trailing ends of the accumulated set of sheets.

In my pending application, serial number 280,599, filed March 29, 1999, co-owned herewith, there is disclosed a stapling stacker in which the trailing ends of the sheets fed through are supported on an L-shaped shelf, while the leading ends of the sheets are supported on a previously stacked set, wherein the sets are side edge aligned, stapled and offset with respect to previously stapled sets, and the shelf is then pivotally dumped to deposit the set on the stacker or on the previously stacked sets.

None of these prior patents addresses the need for being able to finish or staple the sets in an apparatus of the type in which the receiving trays are vertically movable past a sheet inlet by operating cam structures as illustrated for example, in my prior patent 5,255,902 granted October 26, 1993. In this patent, a set of trays can be successively moved upwardly or downwardly by means including a pair of spiral cams rotatable by a pair of shafts. As is well known, if the cams are controlled to be rotated in a selected direction at selected times, the trays will function to receive sets of sheets in addressed fashion, i.e., as a mailbox.

#### Summary of the Invention

The present invention addresses the need for an apparatus which is useful as a sorter but more particularly as a mailbox in which the sheets are supplied from a fixed inlet position to vertically movable trays operated by cam mechanisms which support the trays at opposite sides thereof to vertically move the trays, wherein the trays are configured in such a way as to enable, if desired, finishing of the sets of sheets, as by stapling, and wherein the trays are each provided with a shelf on which the sets of sheets are assembled at their tailing ends, while the leading ends of the sets are supported on the tray, wherein a stapler is movable to a position to insert a staple in the trailing end of the set while the trailing end is on the shelf, and subsequently to stapling, if stapling is desired, the set is pushed from the shelf at its trailing end and moves downwardly to rest at the lower end of the tray with which the shelf is integrated.

With such a construction the sets are finished or stapled and then moved upwardly or downwardly as may be required for sorting or random opening for mailboxing.

The unique configuration of the tray with an integral shelf from which the sets are displaced following stapling particularly enables the present apparatus to function well as a mailbox in that the trays may be randomly vertically shifted upwardly or downwardly depending upon the mailbox address of the respective trays. Other features and objectives of the invention will become apparent or will be hereinafter described with reference to the drawings forming a part hereof.

#### Brief Description of the Drawings

- Fig. 1 is a top plan of the apparatus with the outer tray ends removed and a frame which is broken away;
- Fig. 2 is a side elevation as taken on the line 2-2 of Fig. 1, with parts broken away, showing a sheet being fed into the top tray for assembly of the trailing end on the integral shelf and with a finished set in a subjacent tray;
- Fig. 3 is a view like Fig. 2, but showing the set being stapled on the integral shelf;
- Fig. 4 is a view like Fig. 3, showing the finished set being pushed from the shelf for final receipt of the set in the tray; and
- Fig. 5 is a view like Fig. 4, showing upward movement of the two upper trays and movement of an additional tray to a position for receiving sheets.

#### Description of the Preferred Embodiment

In Fig. 1, the top plan view illustrates the principle components of the apparatus as including a frame F, a tray T1 adapted to be sequentially or selectively moved vertically with other trays T2 and T3 as seen in Figs. 2 through 5 past a sheet inlet 10 through which sheets S are adapted to be fed from a copier or printer as seen in Fig. 1, the means for moving the trays vertically past the inlet 10 includes rollers 11 mounted upon a transversely extended shaft 12 and adapted to be driven by a feed motor M1 through pinion and gear means 13 so that the sheets S are driven in the direction of the arrow in Fig. 2 through a pair of guide plates 14, 14.

An objective of the invention is to deposit sheets S with their trailing ends 15 upon an L-shaped shelf 16 which is an integral part of each of the trays T1 through T3 and which extend upwardly at an angle from the low point of the trays to a position above the level of the shelf 16. This geometry permits the forward or leading ends of the sheet S to be deposited upon the upwardly extended portion of the respective trays so that a downward gravity force is applied to the sheets to move them into trailing edge engagement with the vertical wall 16a of the shelf 16.

In addition, the apparatus is provided with a number of pushers P which are adapted to be horizontally moved as seen in Fig. 4 and, as indicated by the arrow horizontally, so as to displace a set of sheets from the shelf 16. The drive means for

the pushers includes a pusher motor M2 and suitable gearing including a rack 20 which drives a support structure 21 for the two pushers P.

Prior to being pushed from the shelf 16 it is desired that the assembled sheets, as seen in Fig. 3, are finished or stapled by means of a stapler ST which is mounted for horizontal translation as indicated by the arrow in Fig. 3, and adapted to be driven by a motor M3 and pinion and rack gearing 22. As best seen in Fig. 3, the trailing ends of a set of sheets are stapled while resting on the shelf 16 as seen in Fig. 3.

To permit the movement of the pushers P and the stapler ST the necessary distance from an inoperative position to the left of the vertical wall 16a of the shelf 16, the wall 16a has openings P1 for the pushers and ST1 for the stapler and the openings P1 and ST1 extend to the right to provide adequate space in the shelf 16 for displacement of the stapled sets from the shelf as well as movement of the stapler ST to the stapling position prior to displacement of the sets from the shelf 16.

As best seen in Fig. 5, the trays T1, T2 and T3 have been moved upwardly as indicated by the arrow by the action of the cams C supported at opposite sides of the trays and adapted to be driven by a motor M4 and a drive chain or belt 25 which extends horizontally beneath the trays so as to drive the cams C in unison. Such cams are disclosed with greater detail in numerous patents owned by the owner of the present application including patent 5,255,902 referred to at the commencement of this application and

to which reference may be had for an illustration of various cam means for moving the trays vertically upwardly and downwardly in sequence to function as a sorter or in a random fashion to function as a mailbox, all as may be directed by a CPU which is actuated to control the operation of all of the drive motors M1, M2, M3 and M4.

As a result of the construction of the apparatus as described above, it will be seen in Fig. 2 and a number of sets may have been previously stapled and deposited in the tray T1 below the shelf 16 while additional sheets are being supplied through the infeed 10 to make up a complete set which then is stapled as sown in Fig. 3 and displaced from the shelf 16 as seen in Fig. 4 prior to, as illustrated in the respective trays T1, T2 and T3, as well as additional trays T4 and T5, the number of trays being not material to the present invention, and wherein the tray T3 has been positioned, as seen in Fig. 5, to receive an incoming set.

It will also be noted that in the Tray T2 only one set has been formed, stapled and displaced into the tray T2 indicating that the trays may have different mailbox addresses as is well known in the art.

Having thus described the invention, the subject matter thereof is best described in the appended claims.

#### Claims

- 1. In a set finishing machine having a plurality of trays vertically movable to positions above and below a sheet inlet location, the improvement wherein each tray has integral therewith an L-shaped shelf for receiving the trailing ends of sheets supplied thereto at said inlet location and a tray section extending outwardly and upwardly at an angle to a location above said shelf for supporting the leading ends of the sheets, means for horizontally displacing the sets from said shelf onto said tray, and means for selectively stapling sets of sheets on said shelves prior to displacement of the sets therefrom.
- 2. In a set finishing machine as defined in claim 1, said trays being vertically movable by rotary cams and a motor to drive said cams in opposite rotary direction.
- 3. In a set finishing machine as defined in claim 1, said trays being vertically movable by rotary cams and a motor to drive said cams in opposite rotary directions to move said trays sequentially or randomly.
- 4. In a set finishing machine as defined in claim 1, said trays being vertically movable sequentially or randomly.


- 5. In a set finishing machine as defined in claim 1, said L-shaped shelves having areas removed to permit movement of said means for horizontally displacing said sets into engagement with the trailing ends of said sets to displace said sets from said shelves.
- 6. In a set finishing machine as defined in claim 1, said L-shaped shelves having areas removed to permit movement of said means for horizontally displacing said sets into engagement with the trailing ends of said sets to displace said sets from said shelves and to permit movement of said means for selectively stapling said sets to and from positions for driving staples into said sets.
- 7. In a set finishing machine as defined in claim 1, said trays being vertically movable sequentially or randomly, and said L-shaped shelves having areas removed to permit movement of said means for horizontally displacing said sets into engagement with the trailing ends of said sets to displace said sets from said shelves.
- 8. In a set finishing machine as defined in claim 1, said trays being vertically movable sequentially or randomly, and said L-shaped shelves having areas removed to permit movement of said means for horizontally displacing said sets into engagement with the trailing ends of said sets to displace said sets from


said shelves and to permit movement of said means for selectively stapling said sets to and from positions for driving staples into said sets.


- 9. In a set finishing machine as defined in claim 1, said trays being vertically movable by rotary cams and a motor to drive said cams in opposite rotary directions, and said L-shaped shelves having areas removed to permit movement of said means for horizontally displacing said sets into engagement with the trailing ends of said sets to displace said sets from said shelves.
- 10. In a set finishing machine as defined in claim 1, said trays being vertically movable by rotary cams and a motor to drive said cams in opposite rotary directions to move said trays sequentially or randomly, and said L-shaped shelves having areas removed to permit movement of said means for horizontally displacing said sets into engagement with the trailing ends of said sets to displace said sets from said shelves.
- 11. In a set finishing machine as defined in claim 1, said trays being vertically movable by rotary cams and a motor to drive said cams in opposite rotary directions, and said L-shaped shelves having areas removed to permit movement of said means for horizontally displacing said sets into engagement with the


trailing ends of said sets to displace said sets from said shelves and to permit movement of said means for selectively stapling said sets to and from positions for driving staples into said sets.

12. In a set finishing machine as defined in claim 1, said trays being vertically movable by rotary cams and a motor to drive said cams in opposite rotary directions to move said trays sequentially or randomly, and said L-shaped shelves having areas removed to permit movement of said means for horizontally displacing said sets into engagement with the trailing ends of said sets to displace said sets from said shelves and to permit movement of said means for selectively stapling said sets to and from positions for driving staples into said sets.









## Case 137

### UNITED STATES LETTERS PATENT DECLARATION AND POWER OF ATTORNEY

./										
	if plural names are list	ed below at ite	that I believe I am the origina ems 201 et. seq. of subject m	natter w	hich is d	claimed and for w	hich a pate	ent is soug	ght for	
	the invention entitled:	M <sub>.</sub>	ring Shelf Set.	Fin	Ļsķi	ng Mailbo	)X	whi	ich is describer	d and claimed in:
0	the attached specifix	cation 🗆 the	specification in application 5	Serial N	0			filed		
102	(7) international (PCT)	application No	the contents of the above-ide	filed	 			s amended	d on	(if any)
	I hereby claim the tag filing date before the I hereby claim the continuation-in-part, ir in the manner provide be material to patenta application(s) identifies	penefit of prior at of the application to the application benefit, undensofar as the side by the first publity as defined in item 105	e all information known to me to ity, under Title 35, United Statation for which priority is clair Title 35, United States Codubject matter of any of the claaragraph of Title 35, United States Title 37, Code of Federa below and the national or PC	ites Cod imed. de, §120 ims the States C il Regula CT interr	le, §119 0, of an reof is n ode, §1 ations, §	9, of any foreign a y U.S. application of disclosed in the 112. I acknowled § 1.56 which beca I filing date of this	pplication(: n(s) listed i e prior U.S. ge the duty me availat application	s) for pater n item 10! applicatio to disclos ble betwee n.	nt or inventors  5 below. If this on(s) identified i e all informatio en the filing date	certificate having s application is a in item 105 below n known to me to e of the prior U.S
	FOREIGN APPLICAT	ION(S), IF AN	IY. FILED WITHIN 12 (6 if a RMITTED IS HEREBY CLAI	Design) MED U	MONT	'HS PRIOR TO T 35 U.S C. §119	HE FILING	DATE O	F THIS APPLIC	CATION THE
	COUNTR			PLICATION NUMBER DATE OF FILING (day, month, year)			PRIORITY CLAIMED YES NO			
103										
901	THIS APPLICATION	□ <b>c</b> o	NTINUATION-IN-PART RIOR U.S. APPLICATION			SERIAL NO.			FILED	
POV	VER OF ATTORNEY: Trademark Office con	As a named in nected therew	oventor, I hereby appoint the fo vith. Newton c/o Gra 39 Park Irvine,	H. I dco er	Lee, (US	Jr. Reg A) Inc.				ness in the Pater
SEND CORRESPONDENCE TO: Newton H. Lee, Jr. 39 Parker					DIRECT TELEPHONE CALLS TO: (949) 206-6105			):		
Inve	stor(s) name must include at h	east one unabbrier	Irvine, CA 92 riated first or middle name.	.010			·			
Г	FULL NAME	LAST NAME		FIRST	NAME			MIDDLE	NAME	
201	OF INVENTOR COOMDS  RESIDENCE CITY OR OTHER LOCATION TUSTIN			Peter state on country CA		M CITIZENSHIP US				
	POST OFFICE ADDRESS	POST OFFIC	<b>EADDRESS</b> 2 Raintree Lane	, Tu			80			
	FULL NAME OF INVENTOR	LAST NAME	ST NAME FIR			T NAME		MIDDLE NAME		
202	RESIDENCE CITIZENSHIP	CITY OR OTI	HER LOCATION		STATE	STATE OR COUNTRY C			CITIZENSHIP	
	POST OFFICE ADDRESS	POST OFFIC	E ADDRESS							
-	FULL NAME	LAST NAME		FIRST	NAME			MIDDLE	NAME	

insec iii Tunii iii oria

OF INVENTOR

RESIDENCE

CITIZENSHIP

POST OFFICE ADDRESS

83

CITY OR OTHER LOCATION

POST OFFICE ADDRESS

Fourth (and more) coinventors on page 2
I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

STATE OR COUNTRY

CITIZENSHIP

SIGNATURE OF INVENTOR 201	Coonsto	SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203
DATE 19 V N	27 300G	DATE	DATE